TAXONOMIC REARRANGEMENTS PROPOSED FOR A FLORA OF SAN DIEGO COUNTY, CALIFORNIA

R. Mitchel Beauchamp
Pacific Southwest Biological Services, Inc.
Post Office Box 985
National City, California 92050

Compilation of a floral inventory of San Diego County, California has revealed the need for several names which are consistent with the majority of the listing. Fifteen nomenclatural adjustments are proposed below to create a record of valid publication.

APIACEAE

Eryngium aristulatum Jepson ssp. parishii (Coulter & Rose) Beauchamp, stat. nov.

Basionym: Eryngium parishii Coulter & Rose, Contr. U.S. Natl. Herb. 7:57. 1900.

Type: Oceanside, San Diego County, California, S.B. Parish 4436, 1897 (US).

Synonyms: Eryngium Jepsonii Coulter & Rose var. Parishii (Coulter & Rose)Jepson, Madrono 1:107. 1923;
Eryngium aristulatum Jepson var. Parishii (Coulter & Rose)Mathias & L. Constance, Amer. Midl. Naturalist 25:386. 1941.

ASTERACEAE

Isocoma acradenia Greene ssp. eremophila (Greene) Beauchamp, comb. nov.

Basionym: <u>Isocoma eremophila</u> Greene, Leafl. Bot. Observ. Crit. 1:171. 1906.

Type: Southwestern part of the Colorado Desert, California, Orcutt, Nov. 1, 1890 (US).

Synonyms: Haplopapous acradenius (Greene) Blake ssp.
eremophilus (Greene) Hall, Publ. Carnegie Inst.
Wash. 389:233. 1928; Aplopapous a. var. e.
(Greene) Munz, Manual of Southern California Bot.
523. 1935.

Isocoma veneta (H.B.K.) Greene var. furfuracea (Greene) Beauchamp, comb. nov.

Basionym: Biglovia furfuracea Greene, Bull. Calif. Acad. Sci. 1:87. 1885.

Type: Collection without a cited location (UC)

Synonym: Isocoma decumbens Greene, ex C.F. Baker, West Amer.
Plants 2:12. 1903, or Leafl. Bot. Observ. Crit.
1:172. 1906; Haplopappus venetus ssp. furfuraceus
(Greene) Hall, Publ. Carnegie Inst. Wash. 389:226.
1928. Aplopappus v. var. f. (Greene) Munz, Manual
of Southern California Bot. 523. 1935.

437

ASTERACEAE (continued)

Isocoma veneta var. oxyphylla (Greene)Beauchamp, comb. nov.
Basionym: Isocoma oxyphylla Greene, Leafl. Bot. Observ. Crit.
1:171. 1906.

Type: Jamul Valley back of San Diego, Palmer 134, 1875 (US).

Synonym: Haplopappus venetus ssp. oxyphyllus (Greene)Hall,
Publ. Carnegie Inst. Wash. 389:225. 1928;

Aplopappus venetus var. oxyphyllus (Greene)Munz,
Manual of Southern California Bot. 523. 1935.

CAMPANULACEAE

Basionym: <u>Downingia concolor</u> Greene var. <u>brevior</u> McVaugh, Mem. Torrey Bot. Club 19(4):20. 1941.

Type: Cuyamaca Lake, San Diego County, California, L. Abrams 3851 (NY).

CELASTRACEAE

Euonymus occidentalis Nuttall ex Torrey ssp. parishii (Trelease) Beauchamp, stat. nov.

Basionym: Elonymus parishii Trelease, Trans. Acad. Sci. St. Louis 5:354. 1889.

Type: San Jacinto Mountains, Riverside County, S.B. & W.F. Parish <u>957</u>.

Synonym: Euonymus occidentalis Nuttall ex Torrey var.

parishii (Trelease)Jepson, A Manual of the
Flowering Plants of California 610. 1925.

CUPRESSACEAE

Cupressus arizonica Greene ssp. stephensonii (C.B. Wolf) Beauchamp, stat. nov.

Basionym: <u>Cupressus Stephensonii</u> C.B. Wolf, Madrono 1(1):125, 1948.

Type: Upper limits of King Creek, a tributary of the South Fork of the San Diego River, Cuyamaca Mountains, San Diego County, at about 4000 ft. elevation, C.B. Wolf 9467 (RSA).

Synonyms: <u>Cupressus arizonica</u> Greene var. <u>stephensonii</u> (C.B. Wolf)Little, Madrono 18(6):164. 1966

FABACEAE (Papilionoideae)

Lupinus densiflorus Bentham ssp. lacteus (Kellogg)Beauchamp, stat. nov.

Basionym: <u>Lupinus lacteus</u> Kellogg, Proc. Calif. Acad. Sci. 5:37. 1873.

Type: "On Oak Creek hillsides, Kern County, 14 miles from Tejon Pass, Mr. S. Brennan, Jr. (Specimen presumably lost in the fire in 1906).

Synonyms: Lupinus densiflorus Bentham var. lacteus (Kellogg)C.P.Smith, Bull. Torrey Bot. Club 45:181. 1918. Lupinus arenicola Heller, Muhlenbergia 2:75. 1905, Type: "Near the first crossing of the creek west of Caliente, Kern County, Heller 7609, April 7, 1905.

Lupinus excubitus M.E. Jones ssp. medius (Jepson) Beauchamp, stat. nov.

Basionym: <u>Lupinus albifrons</u> Bentham ex Lindley var. <u>medius</u> Jepson, <u>A Flora of California</u> 2:252. 1936.

Type: Mountain Springs Grade summit, San Diego County, California, Jepson 11815 (JEPS).

Synonyms: <u>Lupinus excubitus</u> M.E. Jones var. <u>medius</u> (Jepson)Munz, Aliso 4(1):92. 1958; <u>Lupinus gravi</u> S. Watson var. <u>medius</u> (Jepson)C.P. Smith, Species <u>Lupinorum</u> 28. 1938.

Lupinus excubitus M.E. Jones ssp. austromontanus (Heller) Beauchamp, stat. nov.

Basionym: Lupinus austromontanus Heller, Muhlenbergia 2:69.

Type: Tehachapi, Kern County, California, Heller 7825.

Synonyms: Lupinus excubitus M.E. Jones var. austromontanus (Heller)C.P. Smith in Jepson, A Manual of the Flowering Plants of California 532. 1925; Lupinus albifrons Bentham ex Lindley var. austromontanus (Heller)Jepson, A Flora of California 2:252. 1936.

Thermopsis macrophylla Hooker & Arnott ssp. semota (Jepson) Beauchamp, stat. nov.

Basionym: Thermopsis macrophylla Hooker & Arnott var. semota Jepson, A Flora of California 2:245. 1936.

Type: Spencer Valley, San Diego County, California, R.D. Alderson (JEPS).

HYDROPHYLLACEAE

Phacelia douglasii (Bentham) Torrey ssp. cryptantha (Brand) Beauchamp, stat. nov.

Basionym: Phacelia Douglasii (Bentham) Torrey var. cryptantha Brand in Engler, Pflanzenreich 4(251):114. 1913.

Type: San Diego, San Diego County, California, M.E. Jones 3085 (POM).

Synonyms: Phacelia palmeri Vasey & Rose, Proc. U.S. Natl. Mus. 11:532. 1888, non Phacelia palmeri S. Watson, 1871.; Phacelia stellaris Brand in Engler, Pflanzenreich 4(251):123. 1913. Proposed as a new name for Phacelia palmeri Vasey & Rose.

LIMNANTHACEAE

Limnanthes gracilis Howell ssp. parishii (Jepson) Beauchamp, stat. nov.

Basionym: Limnanthes versicolor (Greene) Rydberg var. Parishii Jepson, A Flora of California 2:412. 1936.

Type: Stonewall Mine, Cuyamaca Mountains, San Diego County, California, S. B. Parish 4416 (JEPS).

Limnanthes gracilis Howell var. parishii (Jepson) Synonym: C.T. Mason, Univ. Calif. Publ. Bot. 25:490. 1952.

RHAMNACEAE

Ceanothus greggii A. Gray ssp. perplexans (Trelease) Beauchamp, stat. nov.

Basionym: Ceanothus perplexans Trelease in A. Gray,

Synoptical Flora of North America 1(1):417. 1897.

Type: Southwestern California.

Synonym: Ceanothus Greggii A. Gray var. perplexans (Trelease) Jepson, A Manual of the Flowering Plants of California 623. 1925.

ROSACEAE

Rubus glaucifolius Kellogg ssp. ganderi (Bailey) Beauchamp, stat. nov.

Basionym: Rubus ganderi Bailey, Gentes Herb. 5:893. 1945. Type: North Peak, Cuyamaca Mountains, San Diego County, California, Frank F. Gander A208 (POM).

Synonym: Rubus glaucifolius Kellogg var. ganderi (Bailey) Munz, Aliso 4(1):92. 1958.